

PRICES FOR LIGHTING

All prices are in EUR excluding VAT



Brand Model Description Pieces

KINOFLO			
Brand	Model	Description	Pieces
Kino Flo	KIT-I45-X1/230	<b>Image 45 DMX Yoke Mount Kit, 230VAC</b> <i>(Includes Yoke Mount Fixture, Gel Frame, Silver Louver, MTP-I80 Mount, Ship Case)</i>	<b>10</b>
Kino Flo	488-K32-S	4ft Kino 800ma KF32 Safety-Coated, 3200K	40
Kino Flo	BRD-I40	Image 45 Barndoors (Set of 4)	10
Manfrotto	C345K	BARREL CLAMP T-KNOB	10
B&K	TV Spigot	472 TV Spigot for stand, D28mm (1 1/8"), L110mm, M10	10
B&K	Safety 70cm/3mm	10116 Safety with necessity chain link screwable, 70cm	10
Proel	AT350DMX	XLR 3-pole female socket -> XLR 5-pole male plug.	10
Proel	AT355DMX	XLR 5-pole female socket -> XLR 3-pole male plug	10
Neutric	NA3F5M	Adapter XLR 3-pin female - 5 pin male kato na Light Jockey fabrichnia	10
Neutric	NA3M5F	Adapter XLR 3-pin male - 5 pin female	10
<b>TOTAL FOR KIT</b>			<b>10</b>
KINOFLO			
Kino Flo	VIS-610Y-230	<b>VistaBeam 610 DMX Yoke Mount, 230VAC</b> <i>(Includes Yoke Mount Fixture, Gel Frame, Louver 90°)</i>	10
Kino Flo	964-K32	96W Kino KF32 Twin, 3200K	60
Kino Flo	LVR-V660	VistaBeam 610 Louver-Honeycomb, 60°	10
Kino Flo	LVR-V645	VistaBeam 610 Louver-Honeycomb, 45°	10
Doughty	T58206	Quick Trigger Hook Clamp Black	10
Manfrotto	C345K	BARREL CLAMP T-KNOB	10
B&K	TV Spigot	472 TV Spigot for stand, D28mm (1 1/8"), L110mm, M10	10
B&K	Safety 70cm/3mm	10116 Safety with necessity chain link screwable, 70cm	10
Proel	AT350DMX	XLR 3-pole female socket -> XLR 5-pole male plug.	10
Proel	AT355DMX	XLR 5-pole female socket -> XLR 3-pole male plug	10
Neutric	NA3F5M	Adapter XLR 3-pin female - 5 pin male kato na Light Jockey fabrichnia	10
Neutric	NA3M5F	Adapter XLR 3-pin male - 5 pin female	10
<b>TOTAL FOR KIT</b>			<b>10</b>
KINOFLO			
Kino Flo	IMR-S10-230	<b>Imara S10 DMX Yoke Mount, 230VAC</b> <i>(Includes Yoke Mount Fixture, Gel Frame, Louver 90°)</i>	10
Kino Flo	55C-K32	55W Kino KF32 Compact	100
Kino Flo	LVR-IM1060	Imara S10 Louver-Honeycomb, 60°	10
Doughty	T58206	Quick Trigger Hook Clamp Black	10
Manfrotto	C345K	BARREL CLAMP T-KNOB	10
B&K	TV Spigot	472 TV Spigot for stand, D28mm (1 1/8"), L110mm, M10	10
B&K	Safety 70cm/3mm	10116 Safety with necessity chain link screwable, 70cm	10
Proel	AT350DMX	XLR 3-pole female socket -> XLR 5-pole male plug.	10
Proel	AT355DMX	XLR 5-pole female socket -> XLR 3-pole male plug	10
Neutric	NA3F5M	Adapter XLR 3-pin female - 5 pin male kato na Light Jockey fabrichnia	10
Neutric	NA3M5F	Adapter XLR 3-pin male - 5 pin female	10
<b>TOTAL FOR KIT</b>			<b>10</b>
KINOFLO			
KINOFLO	PAR-400Y-230	ParaBeam 400 DMX Yoke Mount, 230VAC	6
KINOFLO	LVR-P460	ParaBeam 400 Louver-Honeycomb 60°	6
KINOFLO	LVR-P445	ParaBeam 400 Louver-Honeycomb 45°	6
KINOFLO	55C-K32	55W Kino KF32 Compact, 3200K	24
<b>TOTAL FOR KIT</b>			<b>6</b>
KINOFLO	DES-121-230	Desk-Lite 121, 230VAC (Includes Center Mount Fixture, Louver)	2
KINOFLO	122-K29	12" Kino KF29	2
ARRI			
ARRI	L3.40750.D	<b>ST2/3 2000/3000W G38, Manual, Blue/Silver</b> <i>without switch, with Schuko plug, incl. barndoor and filter frame</i>	10

Osram	CP73 /OS/	OSRAM 64789 CP/73 CYX 2000W 240V G38 12X1	10
Manfrotto	C345K	BARREL CLAMP T-KNOB	10
B&K Braun	Safety 70cm/3mm	10116 Safety with necessity chain link screwable, 70cm	10
<b>ARRI</b>	<b>L3.40500.D</b>	<b>ST1 1000W G22, Manual, Blue/Silver without switch, with Schuko plug, incl. barndoor and filter frame</b>	10
Osram	CP71 /OS/	OSRAM 64747 CP71 1000W 230V G22 20X1	10
GE	CP40 / FKJ /GE/	GE CP40 FKJ 1000W 230V G22	10
Manfrotto	C345K	BARREL CLAMP T-KNOB	10
B&K Braun	Safety 70cm/3mm	10116 Safety with necessity chain link screwable, 70cm	10
<b>ARRI</b>			
ARRI	Studio 2000 Set	L3.80750.D - Studio 2000W/220-240V, manual, G38, with EU connector, incl. barndoor and filter frame	10
ARRI	True Blue ST2	L3.40750.D - ARRI True Blue ST2 2000W, Schuko, incl. Filter Frame & Barndoor Catch	17
ARRI	Studio 1000 SET	L3.80500.D - Studio 1000W/220-240V, manual, G22, EU connector, incl. barndoor and filter frame	8
ARRI	Junior 5000 SET	L3.80000.B - ARRI 5000 SET, Blue/Silver, bare ends, incl. Barndoor & Diffuser Frame	9
ARRI	Studio 5000 SET	L3.81000.B - Studio 5000 SET, Blue/Silver, bare ends, incl. Barndoor & Diffuser Frame	3
ARRI	CYC 1250, single	L1.84200.B - CYC 1250 Single MAN black 220-250VAC Bare Ends	14
ARRI	Junior 300+ SET	L3.79200.D - ARRI 300 Plus SET, Blue/Silver, Schuko connector, incl. Barndoor & Diffuser Frame	8
ARRI	Junior 650+ SET	L3.79400.D - ARRI 650 Plus SET, Blue/Silver, Schuko connector, incl. Barndoor & Diffuser Frame	8
<b>ETC</b>			
ETC	Source Four Zoom 15-30	7060A1240-0X CE Source Four 15°-30° Zoom, Black	21
ETC	ETI-F18 Iris	18 leaves Iris for S4/S4 Zoom, Shakespeare S6 series	21
ETC	Source Four 19°	7060A1207 Source Four 19° Luminaire, Black	7
ETC	Source Four Zoom 25-50	7060A1242-0X Source Four 25/50° Luminaire, Black	10
<b>ETC</b>			
<b>ETC</b>	<b>7060A1242-0X</b>	<b>CE Source Four 25°-50° Zoom, Black</b>	10
GE	HPL 750 L /GE/	GE HPL 750-X-LL 230V G9.5/HS (Long Life)	10
ETC	ETI-F18 Iris	18 leaves Iris for S4/S4 Zoom, Shakespeare S6 series	10
Doughty	T58206	Quick Trigger Hook Clamp Black	10
B&K	Safety 70cm/3mm	10116 Safety with necessity chain link screwable, 70cm	10
Erso	Schuko P-BS 1211	Type BS Rubber plug with earthing contact, with non-breakable insert.	10
<b>Arena</b>			
<b>Arena</b>	<b>1202 L</b>	<b>Arena 1202L: 12 x 2.3 KW; 3HE; DMX+Analog, each dimmer channel is addressable separately; LCD Display and Menue with a lot of additional functions, 2 x Harting 16-conductor; Main RCD + magnetic circuit breakers for each channel; 32A CEE</b>	4
Road Ready	RR6UAD	6U AMPLIFIER DELUXE CASE - 18" BODY DEPTH	2
Proel	AT350DMX	XLR 3-pole female socket -> XLR 5-pole male plug.	4
Proel	AT355DMX	XLR 5-pole female socket -> XLR 3-pole male plug	4
Neutric	NA3F5M	Adapter XLR 3-pin female - 5 pin male kato na Light Jockey fabricchnia	4
Neutric	NA3M5F	Adapter XLR 3-pin male - 5 pin female	4
<b>ARENA</b>			
ARENA	1202A	Arena 1202A: 12x2, 5KW; 3HE; DMX+Analog	4
ARENA	605A	Arena 605A: 6x5 KW; 3HE; DMX+Analog	2
<b>ROBERT JULIAT</b>			
Robert Juliat	714 SX 2	2000/2500W G 22 (220/240V) Tungsten profile with 15 / 40° zoom.	6
Robert Juliat	1417	"GINGER" followspot 230/240V 13/24°, 3-meter power cable mounted with a 10/16A. + E. NF/SCHUKO.	2
Manfrotto	070CSU	FOLLOW SPOT STAND	2
Robert Juliat	DIGIT 6 - 616D	DIGITOUR 6 - 6 Channels of 16A P.C. twin 16A SCHUKO sockets	1
<b>CHIMERA</b>			
Chimera	9305	SPEED RING - CIRCULAR - 13 1/2" (345 mm) - QUARTZ / DAYLITE (Studio 2K, Junior 5K)	9
Chimera	9365	SPEED RING - CIRCULAR - 16 1/8" (410 mm) - QUARTZ / DAYLITE (Studio 5K)	3
Chimera	3533	GRID - FABRIC - 30 DEGREE - MEDIUM	12
Chimera	8435	LIGHTBANK - QUARTZ PLUS W/ 3 SCREENS - MEDIUM (90x120cm) (Studio 2K/5K, Junior 5K)	12
Chimera		<b>TOTAL FOR KIT</b>	<b>12</b>
<b>CLAMPS</b>			
Manfrotto	C345K	BARREL CLAMP T-KNOB	47
B&K Braun	Trussaufnehmer klein	812 (5032) Small Coupler, for Tube Diameters: 48 to 51mm, SWL75kg	21
Manfrotto	C1575B	AVENGER SUPER CLAMP	16
Doughty	T58206	Quick Trigger Hook Clamp Black	37
<b>TRUSS</b>			
Global Truss	FD34-200 -GT	F34200, F34 Box Truss Length 200cm	2
Eurotruss	FD33-400	FD33, Triangle Truss Length 400cm	1
Global Truss	FD33-350 -GT	F33350, F33 Triangle Truss Length 350cm	1
Eurotruss	FD33-300	FD33, Triangle Truss Length 300cm	2
Global Truss	FD33-300 -GT	F33300, F33 Triangle Truss Length 300cm	43
Global Truss	FD33-250 -GT	F33250, F33 Triangle Truss Length 250cm	5
Global Truss	FD33-200 -GT	F33200, F33 Triangle Truss Length 200cm	20
Global Truss	FD33-100 -GT	F33100, F33 Triangle Truss Length 100cm	8
Global Truss	FD33-050 -GT (D)	F33050, F33 Triangle Truss Length 50cm	5
Global Truss	CS1-CON (FD-KCC) -GT	5009 Conical Connector for Truss Systems F32 - F44	165
Global Truss	FD33-L90 -GT	F33C21, F33 90 dgr corner 2-way 50x50cm	12
Global Truss	FD33-T -GT	F33T36, F33 T-joint corner 3-way 50x50cm	2
Global Truss	DCB3-PF -GT	5039-1 Hanging adapter for F3x - F4x series	26
B&K Braun	Roundsling 2t, 4m	Roundsling with double protective covering, Capacity 2000 kg, Overall length 4m, Working Length 2m,	26

B&K Braun	Shackle 2t	Alloy hardened Anchor Shackle with Screw Pin, acc. DIN 5684, forged and galvanized design	26
B&K Braun	Shackle 3,25t	Alloy hardened Anchor Shackle with Screw Pin, acc. DIN 5684, forged and galvanized design	26
Doughty	T57100	Swivel coupler DC-DC Eurotruss/Standard Swivel Coupler Polished	8
Pfaff	P-90 1.0t 10m	PROLINE P 90 Hand Chain Block, 1000kg, 10m, w/o Chain Bag	22
Pfaff	P-90 Chain Bag, small	Textile Chain Bag for P90 / Silverline Hand Chain Blocks with up to 18m chain	22
Pfaff	CM-Prostar-250 15m	CM-Prostar 250kg, Single Reeve,15m, 4m/min, Low Voltage Control, w/o Chain Bag	4
Pfaff	CM-Prostar Chain Bag	CM994010 Chain Bag 30cm, for CM-Prostar (up to 35m chain), black	4
Pfaff	Cable-Hoist LVC 5m	Pair of cables for CM-Lodestar / CM-Prostar with Low Voltage Controll, 5m	4
Pfaff	Cable-Controller 20m	Pair of cables to connect PST Controller to PST splitter, Low Voltage Controll, 20m	2
Pfaff	PSTB-4	19" Controller for 4 hoists, 6HE	1
Pfaff	PSTB Splitbox	4-Way Splitbox for 4 hoists (Low voltage controll), with clamp	2
<b>FOLLOWSPOT CHAIR</b>			
Eurotruss	FL-SPCH	Follow Spot Chair	2
<b>CABLES</b>			
B&K Braun	EUROLITE SAB-616	60003750 6-CH Heavy-duty power split box, 16 pin input	20
B&K Braun	EUROLITE SAB-616X	60003752 6-CH Heavy-duty power split box, 16 pin in/out, 6 x Schucko outputs	10
Cables	Harting/Harting 14G2.5 5m	Power multicore 14G2.5mm, 16pin female Harting / 16pin male Harting, L5m	5
Cables	Harting/Harting 14G2.5 10m	Power multicore 14G2.5mm, 16pin female Harting / 16pin male Harting, L10m	5
Cables	Harting/Harting 14G2.5 15m	Power multicore 14G2.5mm, 16pin female Harting / 16pin male Harting, L15m	5
Cables	Harting/Harting 14G2.5 20m	Power multicore 14G2.5mm, 16pin female Harting / 16pin male Harting, L20m	10
Cables	Harting/Harting 14G2.5 25m	Power multicore 14G2.5mm, 16pin female Harting / 16pin male Harting, L25m	10
Cables	Schuko extension 5m	H07RN-F 3G2.5mm, ERSO Schuko 1211 BS Plug / Schuko 1221 BK Socket, L5m	50
Cables	Schuko extension 10m	H07RN-F 3G2.5mm, ERSO Schuko 1211 BS Plug / Schuko 1221 BK Socket, L10m	30
Cables	Schuko extension 20m	H07RN-F 3G2.5mm, ERSO Schuko 1211 BS Plug / Schuko 1221 BK Socket, L20m	10
Cables	Schuko Triblock 1m	H07RN-F 3G2.5mm, ERSO Schuko 1211 BS Plug / Triblock, L1m	20
Cables	Schuko Triblock 5m	H07RN-F 3G2.5mm, ERSO Schuko 1211 BS Plug / Triblock, L5m	10
<b>CONTROLLERS</b>			
Martin	Light Jockey	Controller	2
ETC	SmartFade 1296 (D)	Controller	1

**Total:**